

L Number	Hits	Search Text	DB	Time stamp
10	434	713/182.ccls.	USPAT; US-PGPUB; EPO	2004/09/29 20:46
11	248	713/165.ccls.	USPAT; US-PGPUB; EPO	2004/09/29 20:46
12	815	713/168.ccls.	USPAT; US-PGPUB; EPO	2004/09/29 20:47
13	165	713/167.ccls.	USPAT; US-PGPUB; EPO	2004/09/29 20:47
14	171	380/286.ccls.	USPAT; US-PGPUB; EPO	2004/09/29 20:47
15	784	705/51.ccls.	USPAT; US-PGPUB; EPO	2004/09/29 20:47
16	1505	709/201.ccls.	USPAT; US-PGPUB; EPO	2004/09/29 20:47
-	1	("20020178366").PN.	USPAT; US-PGPUB; EPO	2004/09/28 13:13
-	5125802	@ad<20010524	USPAT; US-PGPUB; EPO	2004/09/29 15:52
-	247759	authent\$ or authoriz\$ or ((admit\$ or admission or access) near2 (permis\$ or permit\$4 or control or allow\$ or privileg\$3)) or login	USPAT; US-PGPUB; EPO	2004/09/28 13:24
-	468369	\$crypt\$ or encod\$3 or decod\$3 or \$cipher\$3	USPAT; US-PGPUB; EPO	2004/09/29 15:52
-	106601	((public or private) adj key) or RSA or diffie or ellipt\$	USPAT; US-PGPUB; EPO	2004/09/28 13:18
-	1950633	comput\$3 or processor or CPU or workstation or PC or terminal or laptop or user	USPAT; US-PGPUB; EPO	2004/09/28 13:19
-	2542757	data information media content	USPAT; US-PGPUB; EPO	2004/09/28 13:20
-	37071	password	USPAT; US-PGPUB; EPO	2004/09/28 13:23
-	155484	server or (remote or destination) near2 (comput\$3 or party or processor or CPU or PC)	USPAT; US-PGPUB; EPO	2004/09/28 13:24
-	13592	(authent\$ or authoriz\$ or ((admit\$ or admission or access) near2 (permis\$ or permit\$4 or control or allow\$ or privileg\$3)) or login) near3 (server or (remote or destination) near2 (comput\$3 or party or processor or CPU or PC))	USPAT; US-PGPUB; EPO	2004/09/29 15:57
-	3781	(\$crypt\$ or encod\$3 or decod\$3 or \$cipher\$3) near3 password	USPAT; US-PGPUB; EPO	2004/09/28 13:26
-	611	((public or private) adj key) or RSA or diffie or ellipt\$) near3 password	USPAT; US-PGPUB; EPO	2004/09/28 13:26
-	72504	(data information media content) near3 (server or (remote or destination) near2 (comput\$3 or party or processor or CPU or PC))	USPAT; US-PGPUB; EPO	2004/09/28 13:30

-	89	((authent\$ or authoriz\$ or ((admit\$ or admission or access) near2 (permis\$ or permit\$4 or control or allow\$ or privileg\$3)) or login) near3 (server or (remote or destination) near2 (comput\$3 or party or processor or CPU or PC))) and ((\$crypt\$ or encod\$3 or decod\$3 or \$cipher\$3) near3 password) and (((public or private) adj key) or RSA or diffie or ellipt\$) near3 password) and @ad<20010524	USPAT; US-PGPUB; EPO	2004/09/28 13:29
-	4115	(authent\$ or authoriz\$ or ((admit\$ or admission or access) near2 (permis\$ or permit\$4 or control or allow\$ or privileg\$3)) or login) adj (server or (remote or destination) near2 (comput\$3 or party or processor or CPU or PC))	USPAT; US-PGPUB; EPO	2004/09/28 13:29
-	48	((authent\$ or authoriz\$ or ((admit\$ or admission or access) near2 (permis\$ or permit\$4 or control or allow\$ or privileg\$3)) or login) adj (server or (remote or destination) near2 (comput\$3 or party or processor or CPU or PC))) and ((\$crypt\$ or encod\$3 or decod\$3 or \$cipher\$3) near3 password) and (((public or private) adj key) or RSA or diffie or ellipt\$) near3 password) and @ad<20010524	USPAT; US-PGPUB; EPO	2004/09/28 13:31
-	26645	(data information media content) adj (server or (remote or destination) near2 (comput\$3 or party or processor or CPU or PC))	USPAT; US-PGPUB; EPO	2004/09/28 13:31
-	19	((authent\$ or authoriz\$ or ((admit\$ or admission or access) near2 (permis\$ or permit\$4 or control or allow\$ or privileg\$3)) or login) adj (server or (remote or destination) near2 (comput\$3 or party or processor or CPU or PC))) and ((data information media content) adj (server or (remote or destination) near2 (comput\$3 or party or processor or CPU or PC))) and ((\$crypt\$ or encod\$3 or decod\$3 or \$cipher\$3) near3 password) and (((public or private) adj key) or RSA or diffie or ellipt\$) near3 password) and @ad<20010524	USPAT; US-PGPUB; EPO	2004/09/28 13:31
-	5459538	id ident\$ name serial key number index reference	USPAT; US-PGPUB; EPO	2004/09/28 13:55
-	6424	session adj (id ident\$ name serial key number index reference)	USPAT; US-PGPUB; EPO	2004/09/28 13:57
-	8	((authent\$ or authoriz\$ or ((admit\$ or admission or access) near2 (permis\$ or permit\$4 or control or allow\$ or privileg\$3)) or login) adj (server or (remote or destination) near2 (comput\$3 or party or processor or CPU or PC))) and ((data information media content) adj (server or (remote or destination) near2 (comput\$3 or party or processor or CPU or PC))) and ((\$crypt\$ or encod\$3 or decod\$3 or \$cipher\$3) near3 password) and (((public or private) adj key) or RSA or diffie or ellipt\$) near3 password) and @ad<20010524) and (session adj (id ident\$ name serial key number index reference))	USPAT; US-PGPUB; EPO	2004/09/28 14:18
-	1663798	((stor\$ or catalog) or database)	USPAT; US-PGPUB; EPO	2004/09/28 14:18
-	120	(\$crypt\$ or encod\$3 or decod\$3 or \$cipher\$3) with (((public or private) adj key) or RSA or diffie or ellipt\$) with password with (((stor\$ or catalog) or database)) and @ad<20010524	USPAT; US-PGPUB; EPO	2004/09/28 15:02
-	42	(\$crypt\$ or encod\$3 or decod\$3 or \$cipher\$3) with (((public or private) adj key) or RSA or diffie or ellipt\$) near3 password near3 (((stor\$ or catalog) or database)) and @ad<20010524	USPAT; US-PGPUB; EPO	2004/09/28 14:20
-	42	(\$crypt\$ or encod\$3 or decod\$3 or \$cipher\$3) near3 (((public or private) adj key) or RSA or diffie or ellipt\$) near3 password near3 (((stor\$ or catalog) or database)) and @ad<20010524	USPAT; US-PGPUB; EPO	2004/09/28 14:21

BEST AVAILABLE COPY

-	0	(\$crypt\$ or encod\$3 or decod\$3 or \$cipher\$3) near3 (((public or private) adj key) or RSA or diffie or ellipt\$) near3 password near3 (((stor\$ or catalog) or database)) same ((authent\$ or authoriz\$ or ((admit\$ or admission or access) near2 (permis\$ or permit\$4 or control or allow\$ or privileg\$3)) or login) near3 (server or (remote or destination) near2 (comput\$3 or party or processor or CPU or PC))) and @ad<20010524	USPAT; US-PGPUB; EPO	2004/09/28 14:22
-	22	(\$crypt\$ or encod\$3 or decod\$3 or \$cipher\$3) near3 (((public or private) adj key) or RSA or diffie or ellipt\$) near3 password near3 (((stor\$ or catalog) or database)) and ((authent\$ or authoriz\$ or ((admit\$ or admission or access) near2 (permis\$ or permit\$4 or control or allow\$ or privileg\$3)) or login) near3 (server or (remote or destination) near2 (comput\$3 or party or processor or CPU or PC))) and @ad<20010524	USPAT; US-PGPUB; EPO	2004/09/28 14:22
-	32	(\$crypt\$ or encod\$3 or decod\$3 or \$cipher\$3) with (((public or private) adj key) or RSA or diffie or ellipt\$) with password with (((stor\$ or catalog) or database)) and ((authent\$ or authoriz\$ or ((admit\$ or admission or access) near2 (permis\$ or permit\$4 or control or allow\$ or privileg\$3)) or login) near3 (server or (remote or destination) near2 (comput\$3 or party or processor or CPU or PC))) and @ad<20010524 not ((\$crypt\$ or encod\$3 or decod\$3 or \$cipher\$3) near3 (((public or private) adj key) or RSA or diffie or ellipt\$) near3 password near3 (((stor\$ or catalog) or database)) and ((authent\$ or authoriz\$ or ((admit\$ or admission or access) near2 (permis\$ or permit\$4 or control or allow\$ or privileg\$3)) or login) near3 (server or (remote or destination) near2 (comput\$3 or party or processor or CPU or PC))) and @ad<20010524)	USPAT; US-PGPUB; EPO	2004/09/28 15:10
-	1	("6061448").PN.	USPAT; US-PGPUB; EPO	2004/09/28 15:28
-	40	("4532588" "4713780" "4754428" "4837798" "4853961" "5008814" "5210824" "5235642" "5293250" "5313521" "5404231" "5406557" "5416842" "5424724" "5495610" "5509074" "5513126" "5535276" "5550984" "5608874" "5675507" "5677955" "5706442" "5708780" "5710883" "5727156" "5751956" "5758343" "5764906" "5778372" "5781901" "5790793" "5793972" "5805719" "5812776" "5845084" "5850442" "5855020" "5860068" "5903723").PN.	USPAT; US-PGPUB; EPO USPAT	2004/09/28 15:15
-	0	("7adj((dataorinformationorrecord\$1)near3(stor\$orcatalog)ordatabase).PN.	USPAT; US-PGPUB; EPO	2004/09/28 15:28
-	7821	(\$crypt\$ or encod\$3 or decod\$3 or \$cipher\$3) adj ((data or information or record\$1) near3 (stor\$ or catalog) or database)	USPAT; US-PGPUB; EPO	2004/09/28 15:50
-	2048	\$crypt\$ adj ((data or information or record\$1) near3 (stor\$ or catalog) or database)	USPAT; US-PGPUB; EPO	2004/09/28 15:48
-	4	40.ab. and (((public or private) adj key) or RSA or diffie or ellipt\$) with password and @ad<20010524	USPAT; US-PGPUB; EPO	2004/09/28 15:48
-	192	\$cipher\$ adj ((data or information or record\$1) near3 (stor\$ or catalog) or database)	USPAT; US-PGPUB; EPO	2004/09/28 15:48
-	0	42.ab. and (((public or private) adj key) or RSA or diffie or ellipt\$) with password and @ad<20010524	USPAT; US-PGPUB; EPO	2004/09/28 15:49
-	4	39.ab. and (((public or private) adj key) or RSA or diffie or ellipt\$) with password and @ad<20010524	USPAT; US-PGPUB; EPO	2004/09/28 15:51
-	470030	(\$crypt\$ or encod\$3 or decod\$3 or \$cipher\$3) or (secur\$3 or safety or protect\$3) adj ((data or information or record\$1) near3 (stor\$ or catalog) or database)	USPAT; US-PGPUB; EPO	2004/09/28 15:53

-	243	45.ab. and (((public or private) adj key) or RSA or diffie or ellipt\$) with password and @ad<20010524	USPAT; US-PGPUB; EPO	2004/09/28 15:54
-	66	45.ab. and ((\$crypt\$ or encod\$3 or decod\$3 or \$cipher\$3) with (((public or private) adj key) or RSA or diffie or ellipt\$) with password with (((stor\$ or catalog) or database)) and @ad<20010524)	USPAT; US-PGPUB; EPO	2004/09/28 15:52
-	100	45.ti. and (((public or private) adj key) or RSA or diffie or ellipt\$) with password and @ad<20010524	USPAT; US-PGPUB; EPO	2004/09/28 15:53
-	50	45.ti. and (((public or private) adj key) or RSA or diffie or ellipt\$) near3 password and @ad<20010524	USPAT; US-PGPUB; EPO	2004/09/28 15:53
-	12310	(((\$crypt\$ or encod\$3 or decod\$3 or \$cipher\$3) or secur\$3 or safety or protect\$3) adj ((data or information or record\$1) near3 (stor\$ or catalog) or database)	USPAT; US-PGPUB; EPO	2004/09/28 15:54
-	5	50.ab. and (((public or private) adj key) or RSA or diffie or ellipt\$) with password and @ad<20010524	USPAT; US-PGPUB; EPO	2004/09/28 15:55
-	36	(((\$crypt\$ or encod\$3 or decod\$3 or \$cipher\$3) or secur\$3 or safety or protect\$3) adj ((data or information or record\$1) near3 (stor\$ or catalog) or database)) with (server or (remote or destination) near2 (comput\$3 or party or processor or CPU or PC)) and (((public or private) adj key) or RSA or diffie or ellipt\$) with password and @ad<20010524	USPAT; US-PGPUB; EPO	2004/09/28 18:55
-	31	encrypted adj database and login and password and @ad<20010524	USPAT; US-PGPUB; EPO	2004/09/29 14:12
-	0	(encrypted adj database).ab. and login and @ad<20010524	USPAT; US-PGPUB; EPO	2004/09/28 18:57
-	25	password with delete with server and @ad<20010524	USPAT; US-PGPUB; EPO	2004/09/29 14:15
-	4	password with delete same server same session and @ad<20010524	USPAT; US-PGPUB; EPO	2004/09/29 14:28
-	75979	\$crypt\$ adj server and password same ((public or private) adj key) or RSA or diffie or ellipt\$ and @ad<20010524	USPAT; US-PGPUB; EPO	2004/09/29 14:40
-	55	\$crypt\$ adj server and password same (((public or private) adj key) or RSA or diffie or ellipt\$) and @ad<20010524	USPAT; US-PGPUB; EPO	2004/09/29 14:41
-	6	(\$crypt\$ adj server).ab. and password same (((public or private) adj key) or RSA or diffie or ellipt\$) and @ad<20010524	USPAT; US-PGPUB; EPO	2004/09/29 14:41
-	105246	sfs or "secure file system" or tcfs or cfs "Cryptographic File System"	USPAT; US-PGPUB; EPO	2004/09/29 15:56
-	468369	\$crypt\$ or encod\$3 or decod\$3 or \$cipher\$3	USPAT; US-PGPUB; EPO	2004/09/29 15:52
-	5125802	@ad<20010524	USPAT; US-PGPUB; EPO	2004/09/29 15:52
-	14514	(sfs or "secure file system" or tcfs or cfs "Cryptographic File System") and (\$crypt\$ or encod\$3 or decod\$3 or \$cipher\$3) and @ad<20010524	USPAT; US-PGPUB; EPO	2004/09/29 15:53
-	1	(login or logon) adj server and ((sfs or "secure file system" or tcfs or cfs "Cryptographic File System") and (\$crypt\$ or encod\$3 or decod\$3 or \$cipher\$3) and @ad<20010524)	USPAT; US-PGPUB; EPO	2004/09/29 15:54
-	2801	(sfs or "secure file system" or tcfs or cfs "Cryptographic File System")!	USPAT; US-PGPUB; EPO	2004/09/29 15:57

-	13592	(authent\$ or authoriz\$ or ((admit\$ or admission or access) near2 (permis\$ or permit\$4 or control or allow\$ or privileg\$3)) or login) near3 (server or (remote or destination) near2 (comput\$3 or party or processor or CPU or PC))	USPAT; US-PGPUB; EPO	2004/09/29 16:00
-	5	((sfs or "secure file system" or tcfs or cfs "Cryptographic File System")!) same ((authent\$ or authoriz\$ or ((admit\$ or admission or access) near2 (permis\$ or permit\$4 or control or allow\$ or privileg\$3)) or login) near3 (server or (remote or destination) near2 (comput\$3 or party or processor or CPU or PC))) and @ad<20010524	USPAT; US-PGPUB; EPO	2004/09/29 16:00